

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

**LISTING No.** 8140-2207:0500 Page 1 of 1

**CATEGORY:** 8140 -- EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)

**LISTEE:** National Forest Products LTD3128 Hope Place, Chemainus, BC V0R 1K4 Canada  
Contact: John Evans (604) 833-7746  
Email: john@nationalforestproducts.com

**DESIGN:** National Forest Products Ltd. Pinnacle Panel exterior wall siding and sheathing. Nominal 6-7/8" wide x 7/8" thick x 8' long and 8-5/8" wide x 7/8" thick x 8' long installed over minimum 1/2" SPF (spruce/pine/fir) plywood with 30 lb paper and GAF Versashield moisture protection backing material. 1/2" stainless steel staples are used to secure the cedar and are fastened through the backing and matting into the cedar material.

**RATING:** Compliant with SFM Standard 12-7A-1 2013 California Referenced Standards Code.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee name, Model number, rating and SFM label.

**APPROVAL:** Listed as an assembled exterior wall siding for use in the Wildland Urban Interface areas.

12-05-2016 dc



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2018**

Listing Expires **June 30, 2019**

Authorized By: **DAVID CASTILLO**, Program Coordinator  
Fire Engineering Division